


BRINE TANKS, CABINETS & ACCESSORIES

REVISED 02.21.2024


INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterwerks@aol.com
 Please visit our web site @ www.iwaterwerks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



11x11x38"
Brine Tank
175 Salt
Cap



15x17x36"
Brine Tank
326 Salt
Cap



18x33"
Brine Tank
375 Salt
Cap



18x40"
Brine Tank
450 Salt
Cap

ALL BRINE TANKS CAN BE PURCHASED AS A COMPLETE ASSEMBLY



474
3/8" or
1/2"
SAFETY
SHUT-OFF



3/8" or 1/2"
AIR CHECKS



FLOATS



11x11" PLASTIC
SALT GRID



15x17" PLASTIC
SALT GRID



18" PLASTIC
SALT GRID



2310
3/8"
SAFETY
SHUT-OFF



OVER-FLOW
FITTING



3/8"OD x 1/4"ID
Brine Line
Tubing



1/2"OD x 3/8"ID
Brine & Drain
Line
Tubing



5/8"OD x 1/2"ID
Drain Line
Tubing

Water Specialist Cabinet



City Water
Riser
Models

24K 9x35"
32K 10x35"
48K 12x35"



Well Water
Tubulator
Models

32K 9x35
40K 10x35"
56K 12x35"

NOTE: Plastic Salt Grids Not Available For CWS Cabinets

Clack has developed a water softener cabinet that will accept any WS1 or WS1.25 control valve model. Its top sliding cover opens to a large tapered chute for ease of adding salt to the system without removing the cover. This new design offers a unique flip up access window that allows you to program the valve without removing the cover.

A new brine valve/brine well system has been incorporated in the design that allows full access to the brine valve for servicing, without having to disassemble the complete system.

Available in Blue and in Grey.



Brine valve and brine well system



Top sliding cover and flip up access window

CALL YOUR IwwI REPRESENTATIVE FOR PRICING AND AVAILABILITY

SPEC SHEETS & BROCHURES AVAILABLE..

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375

11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

COMMERCIAL BRINE TANKS & ACCESSORIES

REVISED 02.21.2024

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterwerks@aol.com
 Please visit our web site @ www.iwaterwerks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

24" and 30" Commercial/Industrial Blow Molded Brine Tanks



Clack offers both 24" and 30" round blow molded brine tanks. The introduction of the 30" diameter tank makes it the largest blow molded brine tank for commercial/industrial applications.

Like the 24" round tank, the 30" tank is molded of high density polyethylene for exceptional stress and crack resistant properties.

These tanks are ideal for industrial and commercial use and the 30" tank feature heavy wall thickness for increased durability.

Injection molded grids are available for both 24" and 30" tanks and use 1 1/2" schedule 40 PVC pipe for leg supports.

The legs can be cut to any length for easy grid height adjustment. A precut leg kit for the 24" grid is also available, giving it an overall grid height of 10 3/4".

ORDER NUMBER	DESCRIPTION	LIQUID CAPACITY	SALT CAPACITY	HEIGHT W/LID	DIAMETER	SHIPPING WEIGHT	CARTON SIZE	UNITS PER CARTON
G22441CB1C00	24 x 41 Black Brine Tank	80 gal./ 303 liters	700 lbs./ 318 Kg	42.5 in/ 108 cm	24.5 in./ 62 cm	23.5 lbs./ 10.7 Kg	15 ft. ³	1
G22450CB1C00	24 x 50 Black Brine Tank	100 gal./ 378 liters	900 lbs./ 408 Kg	51.5 in/ 131 cm	24.5 in./ 62 cm	27.25 lbs./ 12.4 Kg	18 ft. ³	1
G23050CB1C00	30 x 50 Black Brine Tank	150 gal./ 579 liters	1400 lbs./ 640 Kg	52.5 in/ 133 cm	31 in./ 79 cm	49 lbs./ 22.3 Kg	30 ft. ³	1



Plastic Brine Grid with PVC Legs

ACCESSORY INFORMATION		
ORDER NUMBER	DESCRIPTION	QUANTITY/CARTON
H1080	24" Plastic Brine Grid (2 plates/set)	5 Sets
H1032	30" Plastic Brine Grid (2 plates/set)	3 Sets
H1089	PVC Grid Legs for 24" Grid (7/set)	5 Sets

CALL YOUR IwwI REPRESENTATIVE FOR PRICING AND AVAILABILITY

SPEC SHEETS & BROCHURES AVAILABLE..

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

COMMERCIAL BRINE TANKS & ACCESSORIES

REVISED 02.21.2024

INTERNATIONAL WATERWORKS inc.

E-Mail us @ iwaterworks@aol.com

Please visit our web site @ www.iwaterworks.com

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Commercial/Industrial Rotationally Molded Brine Tanks



Commercial and industrial water softeners require a large volume of brine during each regeneration.

From a capacity of 95 gallons to 500 gallons, our Rotationally Molded Brine Tanks are built to last.

Molded out of durable, chemically resistant high density polyethylene, their ¼" seamless walls won't bulge.

Rotationally Molded Brine Tanks are strong enough to handle your toughest brine requirements. (All tanks and covers are black.)

Operating Temperature Range:
40°F - 125°F (4.4°C - 51.6°C)

Also Available:

24" Plastic Grids
30" Plastic Grids

TANK SIZE	ORDER NUMBER	DIAMETER	HEIGHT	SALT CAPACITY	VOLUME	WEIGHT
24 x 60	G22460CB1P00	24"	60"	1000 lbs.	115 gal.	32 lbs.
30 x 60	G23060CB1P00	30"	60"	1600 lbs.	180 gal.	56 lbs.
39 x 48	G23948CB1P00	39"	48"	2200 lbs.	250 gal.	67 lbs.
39 x 60	G23960CB1P00	39"	60"	2700 lbs.	300 gal.	80 lbs.
42 x 60	G24260CB1P00	42"	60"	3100 lbs.	350 gal.	84 lbs.
50 x 60	G25060CB1P00	50"	60"	4500 lbs.	500 gal.	107 lbs.

CALL YOUR IwwI REPRESENTATIVE FOR PRICING AND AVAILABILITY

SPEC SHEETS & BROCHURES AVAILABLE..

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375

11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937